

DIAGNOSTIC TOOLS

2019

PRODUCT LINE
CATALOG



Strässle ECG vacuum systems serve as modern interfaces between patients and electrocardiograph. They enable a smooth process of taking ECGs and are indispensable in modern medical practice.

With their differing capabilities, DT100, DT100 C, DT100 T and DT80, DT80 C, DT80 T as well as the EASY II meet the complete range of requirements made on modern ECG vacuum systems. DT100, DT100 C and DT100 T are also available with accumulator batteries.

The range of capabilities of all these systems includes blow feature, 4-level pressure range adjustment with a one-hand operable control unit, LED information, and, of course, defibrillation protection.

The special automatic control circuitry controls vacuum pumps in a modified pivoting technique and provides controlled adhesion even on problem skins, e.g. of very bony or hairy patients.

The electrode lines are equipped with soft and therefore highly adaptive silicone suckers, the interior of which contains a classical silver- silver chloride electrode.

A continuous high-quality shielding protection against oxidation and a controlled manufacturing process enable the transmission of sensitive measurement potentials and thus a sure diagnosis. Strässle ECG vacuum systems are high-quality medical diagnostic tools and an integrated component of medical and economical investment in modern practice and clinics.

**Strässle & Co.
Medizintechnik GmbH
Primelweg 5
D-72461 Albstadt**

Tel.: +49 (0)7432 22 01 86

Fax: +49 (0)7432 22 01 89

info@straessle-co.de

www.straessle-co.de

Table of contents

| | page |
|----------------------------|------|
| DT80 T table model | 5 |
| DT80 T plus | 6 |
| DT80 T with carriage I | 7 |
| DT80 T with carriage H | 8 |
| | |
| DT80 table model | 9 |
| DT80 plus | 10 |
| DT80 with carriage I | 11 |
| DT80 with carriage H | 12 |
| | |
| DT80 C table model | 13 |
| DT80 C plus | 14 |
| DT80 C with carriage I | 15 |
| DT80 C with carriage H | 16 |
| | |
| DT80 CL table model | 17 |
| DT80 CL for wall mounting | 18 |
| DT80 CL with carriage I | 19 |
| DT80 CL with carriage H | 20 |
| | |
| DT100 T table model | 21 |
| DT100 T | 22 |
| DT100 T plus | 23 |
| DT100 T with carriage I | 24 |
| DT100 T with carriage H | 25 |
| | |
| DT100 table model | 26 |
| DT100 | 27 |
| DT100 plus | 28 |
| DT100 with carriage I | 29 |
| DT100 with carriage H | 30 |
| | |
| DT100 C table model | 31 |
| DT100 C | 32 |
| DT100 C plus | 33 |
| DT100 C with carriage I | 34 |
| DT100 C with carriage H | 35 |
| | |
| DT100 CL table model | 36 |
| DT100 CL | 37 |
| DT100 CL for wall mounting | 38 |
| DT100 CL with carriage I | 39 |
| DT100 CL with carriage H | 40 |
| | |
| EASY II | 41 |
| | |
| DT Basic und DT Basic T | 42 |

The prices are VAT excluded. Subject to alterations. Our sales and delivery conditions are valid.

This price list is valid from 2019-01-01 and replaces all previous price lists.

Table of contents

| | page |
|---|------|
| Carriage I | 43 |
| Carriage H | 44 |
| Carriage Plus | 44 |
| Mounting kits | |
| Mounting kit 1/2 | 45 |
| Mounting kit 3/4 | 46 |
| Mounting kit 5/6 | 47 |
| Mounting kit 7/8 | 48 |
| Mounting kit 9/10 | 49 |
| Mounting kit 12/13 | 50 |
| Mounting kit 14/15 | 51 |
| Mounting kit 16/17 | 52 |
| Wall mountings | 53 |
| Optional accessories | |
| Electrode distance holder / Suction line holder A / Suction line holder A&C | 54 |
| Suction line holder C / Suction line holder T / weight for patient line cable T | 55 |
| Special accessories for support arm T | |
| Brackets screwable | 56 |
| Fixing bracket set for metal clip | 56 |
| Consumption and replacement material | |
| Quick disinfectant / Electrode spray | 57 |
| Spare electrodes / Coding plates / Identifiers for electrode plugs | 58 |
| Leads for self-adhesive electrodes | 59 |
| Terms of business | 60 |

DT80 T



DT80 T

DT80 T table model with clamping screw for clamping on tables etc.

A small vacuum unit with a telescopic support arm, designed for occasional use in medical practice.

Comfortable operation, one-hand control, and a long-reach support arm are the special features of this model.

The system has proven control technology in four pressure levels and, like all vacuum systems by Strässle, an automatic blow feature, before and after every use.

Specifications:

- Protection class I ; MPG Class 1
- Supply voltage 230 V~ 50/60 Hz; 22VA
- Vacuum range 60-200 mbar
- Four-level adjustment of vacuum capacity
Pressure range and status indication
- Support arm with integrated Defibrillation protection; swivel range approx. 360°
- Silver-silver chloride electrodes; Sucker material silicone; individually exchangeable from outside
- Clamping device with fixing range of 20-55mm
(only for 4000-320 and 4000-321)

| Item No. | Type | Scope of delivery / Description |
|----------|--------|---|
| 4000-320 | DT80 T | 10x vacuum electrode 1m; 1x support arm T; 1x vacuum unit DT80 with control unit and holder for control unit; 1x support for control unit; 1x clamping device ; 1x power cable; 250ml electrode spray |
| 4000-321 | DT80 T | 6x vacuum electrode 1m and 4x1.3m ; 1x support arm T; 1x vacuum unit DT80 with control unit and holder for control unit; 1x support for control unit; 1x clamping device ; 1x power cable; 250ml electrode spray |
| Item No. | Type | Scope of delivery / Description |
| 4000-350 | DT80 T | 10x vacuum electrode 1m; 1x support arm T; 1x vacuum unit DT80 with control unit and holder for control unit; 1x support for control unit; 1x power cable; 250ml electrode spray; without mounting kit |
| 4000-351 | DT80 T | 6x vacuum electrode 1m and 4x1.3m ; 1x support arm T; 1x vacuum unit DT80 with control unit and holder for control unit; 1x support for control unit; 1x power cable; 250ml electrode spray; without mounting kit |

The prices are VAT excluded. Subject to alterations. Our sales and delivery conditions are valid. This price list is valid from 2019-01-01 and replaces all previous price lists.

DT80 Tplus



DT80 Tplus

The DT80 T is also available in the plus version DT80 Tplus.

The housing with the vacuum pump is fixed between the housing base and the base plate by a resistant tape. Functional connections such as vacuum connection and control unit are located at the rear of the housing.

The base plate is very solid.

Width 38cm, Depth 40cm
Four lockable caster wheels

| Item No. | Type | Scope of delivery / Description |
|----------|------------|---|
| 4000-322 | DT80 Tplus | 10x vacuum electrode 1m; 1x support arm T; 1x vacuum unit DT80 with control unit and holder for control unit; 1x carriage plus; 1x power cable; 250ml electrode spray |
| 4000-323 | DT80 Tplus | 6x vacuum electrode 1m and 4x1.3m; 1x support arm T; 1x vacuum unit DT80 with control unit and holder for control unit; 1x carriage plus; 1x power cable; 250ml electrode spray |

DT80 T with carriage I



[shown carriage with optional equipment]

DT80 TI with carriage

Combination of ECG vacuum unit DT80 and carriage I

Telescopic support arm, small vacuum unit, one-hand control with four pressure levels and blow feature

A solid carriage with **3 large shelves**

Four wheels Ø 10cm, two of them lockable

Carriage extendable

| Item No. | Type | Scope of delivery / Description |
|----------|---------|---|
| 4000-324 | DT80 TI | 10x vacuum electrode 1m; 1x support arm T; 1x vacuum unit DT80 with control unit and holder for control unit; 1x carriage I; 1x power cable; 250ml electrode spray |
| 4000-325 | DT80 TI | 6x vacuum electrode 1m and 4x1,3m; 1x support arm T; 1x vacuum unit DT80 with control unit and holder for control unit; 1x carriage I; 1x power cable; 250ml electrode spray |

DT80 T with carriage H



[similar to figure]

DT80 TH with carriage

A combination of ECG vacuum unit DT80 T and carriage H.

Manoeuvrable carriage with small vacuum unit and telescopic support arm.

| Item No. | Type | Scope of delivery / Description |
|----------|---------|--|
| 4000-326 | DT80 TH | 10x vacuum electrode 1m; 1x support arm T; 1x vacuum unit DT80 with control unit and holder for control unit; 1x carriage H; 1x power cable; 250ml electrode spray |
| 4000-327 | DT80 TH | 6x vacuum electrode 1m and 4x1,3m; 1x support arm T; 1x vacuum unit DT80 with control unit and holder for control unit; 1x carriage H; 1x power cable; 250ml electrode spray |



[Illustration with special equipment, table is not included]

DT80

DT80 in table model version

A small vacuum unit with a large support arm, designed for occasional use in medical practice.

Comfortable operation, one-hand control, and a long-reach support arm are the special features of this model.

The system has proven control technology in four pressure levels and, like all vacuum systems by Strässle, an automatic blow feature, before and after every use.

Specifications:

- Protection class I ; MPG Class 1
- Supply voltage 230 V~ 50/60 Hz; 22VA
- Vacuum range 60-200 mbar
- Four-level adjustment of vacuum capacity
Pressure range and status indication
- Support arm with integrated Defibrillation protection; swivel range approx. 315°
120/240cm
- Silver- silver chloride electrodes; Sucker material silicone; individually exchangeable from outside
- Clamping device with fixing range of 20-55mm
(only for 4000-300 and 4000-301)

| Item No. | Type | Scope of delivery / Description |
|----------|------|--|
| 4000-300 | DT80 | 10x vacuum electrode 1m; 1x support arm; 1x vacuum unit DT80 with control unit and holder for control unit; 1x clamping device ; 1x power cable; 250ml electrode spray |
| 4000-301 | DT80 | 6x vacuum electrode 1m and 4x1.3m ; 1x support arm; 1x vacuum unit DT80 with control unit and holder for control unit; 1x clamping device ; 1x power cable; 250ml electrode spray |
| Item No. | Type | Scope of delivery / Description |
| 4000-352 | DT80 | 10x vacuum electrode 1m; 1x support arm; 1x vacuum unit DT80 with control unit and holder for control unit; 1x power cable; 250ml electrode spray; without mounting kit |
| 4000-353 | DT80 | 6x vacuum electrode 1m and 4x1.3m ; 1x support arm; 1x vacuum unit DT80 with control unit and holder for control unit; 1x power cable; 250ml electrode spray; without mounting kit |

DT80 plus



DT80 plus

The DT 80 is also available in the plus version DT80.

The housing with the vacuum pump is fixed between the housing base and the base plate by a resistant tape. Functional connections such as vacuum connection and control unit are located at the rear of the housing.

The base plate is very solid.

Width 38cm, Depth 40cm
Four lockable caster wheels

| Item No. | Type | Scope of delivery / Description |
|----------|-----------|---|
| 4000-302 | DT80 plus | 10x vacuum electrode 1m; 1x support arm; 1x vacuum unit DT80 with control unit and holder for control unit; 1x carriage plus; 1x power cable; 250ml electrode spray |
| 4000-303 | DT80 plus | 6x vacuum electrode 1m and 4x1,3m; 1x support arm; 1x vacuum unit DT80 with control unit and holder for control unit; 1x carriage plus; 1x power cable; 250ml electrode spray |

DT80 with carriage I



[shown carriage with optional equipment]

DT80 I with carriage

Combination of ECG vacuum unit DT80 and carriage I

Large support arm, small vacuum unit, one-hand control with four pressure levels and blow feature

A solid carriage with **3 large shelves**

Four wheels Ø 10cm, two of them lockable

Carriage extendable

| Item No. | Type | Scope of delivery / Description |
|----------|--------|--|
| 4000-304 | DT80 I | 10x vacuum electrode 1m; 1x support arm; 1x vacuum unit DT80 with control unit and holder for control unit; 1x carriage I; 1x power cable; 250ml electrode spray |
| 4000-305 | DT80 I | 6x vacuum electrode 1m and 4x1.3m; 1x support arm; 1x vacuum unit DT80 with control unit and holder for control unit; 1x carriage I; 1x power cable; 250ml electrode spray |

DT80 with carriage H



[similar to figure]

DT80 H with carriage

A combination of ECG vacuum unit DT80 and carriage H

Manoeuvrable carriage with small vacuum unit and long support arm

| Item No. | Type | Scope of delivery / Description | |
|----------|--------|--|--|
| 4000-306 | DT80 H | 10x vacuum electrode 1m; 1x support arm; 1x vacuum unit DT80 with control unit and holder for control unit; 1x carriage H; 1x power cable; 250ml electrode spray | |
| 4000-307 | DT80 H | 6x vacuum electrode 1m and 4x1.3m; 1x support arm; 1x vacuum unit DT80 with control unit and holder for control unit; 1x carriage H; 1x power cable; 250ml electrode spray | |

DT80 C



[Illustration with special equipment, table is not included]

DT80 C

DT80 with support arm version C in table model version.

A small vacuum unit with a large support arm, designed for occasional use in medical practice.

The support arm is made of steel and has a flexibly equilibrated joint, which is equipped with a locking button for every 90° of swivel.

The system has proven control technology in four pressure levels and, like all vacuum systems by Strässle, an automatic blow feature, before and after every use.

Specifications:

- Protection class I ; MPG Class 1
- Supply voltage 230 V~ 50/60 Hz; 22VA
- Vacuum range 60-200 mbar
- Four-level adjustment of vacuum capacity
Pressure range and status indication
- Support arm with integrated Defibrillation protection; swivel range approx. 315°
120/240cm
- Silver- silver chloride electrodes; Sucker material silicone; individually exchangeable from outside
- Clamping device with fixing range of 20-55mm
(only for 4000-312 and 4000-308)

| Item No. | Type | Scope of delivery / Description |
|----------|--------|--|
| 4000-312 | DT80 C | 10x vacuum electrode 1m; 1x support arm C; 1x vacuum unit DT80 with control unit and holder for control unit; 1x clamping device ; 1x power cable; 250ml electrode spray |
| 4000-308 | DT80 C | 6x vacuum electrode 1m and 4x1.3m ; 1x support arm C; 1x vacuum unit DT80 with control unit and holder for control unit; 1x clamping device ; 1x power cable; 250ml electrode spray |
| Item No. | Type | Scope of delivery / Description |
| 4000-354 | DT80 C | 10x vacuum electrode 1m; 1x support arm C; 1x vacuum unit DT80 with control unit and holder for control unit; 1x power cable; 250ml electrode spray; without mounting kit |
| 4000-355 | DT80 C | 6x vacuum electrode 1m and 4x1.3m ; 1x support arm C; 1x vacuum unit DT80 with control unit and holder for control unit; 1x power cable; 250ml electrode spray; without mounting kit |

The prices are VAT excluded. Subject to alterations. Our sales and delivery conditions are valid.
This price list is valid from 2019-01-01 and replaces all previous price lists.

DT80 Cplus



DT80 Cplus

Die DT80 C is also available in the plus-version DT80 Cplus.

The housing with the vacuum pump is fixed between the housing base and the base plate by a resistant tape. Functional connections such as vacuum connection and control unit are located at the rear of the housing.

The base plate is very solid.

Width 38cm, Depth 40cm
Four lockable caster wheels

| Item No. | Type | Scope of delivery / Description |
|----------|------------|---|
| 4000-313 | DT80 Cplus | 10x vacuum electrode 1m; 1x support arm C; 1x vacuum unit DT80 with control unit and holder for control unit; 1x carriage plus; 1x power cable; 250ml electrode spray |
| 4000-309 | DT80 Cplus | 6x vacuum electrode 1m and 4x1.3m; 1x support arm C; 1x vacuum unit DT80 with control unit and holder for control unit; 1x carriage plus; 1x power cable; 250ml electrode spray |

DT80 C with carriage I



[shown carriage with optional equipment]

DT80 CI with carriage

With support arm C
Combination of ECG vacuum system DT80 C and carriage I

Large support arm, small vacuum unit, one-hand control with four pressure levels and blow feature

A solid carriage with **3 large shelves**

Four wheels Ø 10cm, two of them lockable

Carriage extendable

| Item No. | Type | Scope of delivery / Description |
|----------|---------|--|
| 4000-314 | DT80 CI | 10x vacuum electrode 1m; 1x support arm C; 1x vacuum unit DT80 with control unit and holder for control unit; 1x carriage I; 1x power cable; 250ml electrode spray |
| 4000-315 | DT80 CI | 6x vacuum electrode 1m and 4x1,3m; 1x support arm C; 1x vacuum unit DT80 with control unit and holder for control unit; 1x carriage I; 1x power cable; 250ml electrode spray |

DT80 C with carriage H



[similar to figure]

DT80 CH with carriage

Combination of ECG vacuum system DT80 C and carriage H.

Manoeuvrable carriage with small vacuum unit and solid support arm.

| Item No. | Type | Scope of delivery / Description |
|----------|---------|--|
| 4000-316 | DT80 CH | 10x vacuum electrode 1m; 1x support arm C; 1x vacuum unit DT80 with control unit and holder for control unit; 1x carriage H; 1x power cable; 250ml electrode spray |
| 4000-317 | DT80 CH | 6x vacuum electrode 1m and 4x1,3m; 1x support arm C; 1x vacuum unit DT80 with control unit and holder for control unit; 1x carriage H; 1x power cable; 250ml electrode spray |

DT80 CL



[Illustration with special equipment, table is not included]

DT80 CL

The DT80 CL is a table model in steel arm design with extension.

The extension is 30 cm long and is equipped with two notches and bolts.

90° lockable swivel positions enable practical work with larger reach.

Clamping device with fixing range of 20-55mm
(only for 4000-319 and 4000-318)

| Item No. | Type | Scope of delivery / Description |
|-----------|---------|---|
| 4000-319 | DT80 CL | 10x vacuum electrode 1m; 1x support arm CL; 1x vacuum unit DT80 with control unit and holder for control unit; 1x clamping device ; 1x power cable; 250ml electrode spray |
| 4000-318 | DT80 CL | 6x vacuum electrode 1m and 4x1.3m ; 1x support arm CL; 1x vacuum unit DT80 with control unit and holder for control unit; 1x clamping device ; 1x power cable; 250ml electrode spray |
| Best.-Nr. | Type | Scope of delivery / Description |
| 4000-356 | DT80 CL | 10x vacuum electrode 1m; 1x support arm CL; 1x vacuum unit DT80 with control unit and holder for control unit; 1x power cable; 250ml electrode spray; without mounting kit |
| 4000-357 | DT80 CL | 6x vacuum electrode 1m and 4x1.3m ; 1x support arm CL; 1x vacuum unit DT80 with control unit and holder for control unit; 1x power cable; 250ml electrode spray; without mounting kit |

DT80 CLW



[Illustration with special equipment, table is not included]

DT80 CLW

Wall mounting version, mountable in locked position, as can be seen in the figure.

The flexible support arm is lockable in 90° swivel positions.

One-hand operation
DT80 technology

| Item No. | Type | Scope of delivery / Description |
|----------|----------|--|
| 4000-311 | DT80 CLW | 10x vacuum electrode 1m; 1x support arm CLW with integrated wall mount; 1x vacuum unit DT80 with control unit and holder for control unit; 1x power cable; 250ml electrode spray |
| 4000-310 | DT80 CLW | 6x vacuum electrode 1m and 4x1,3m; 1x support arm CLW with integrated wall mount; 1x vacuum unit DT80 with control unit and holder for control unit; 1x power cable; 250ml electrode spray |

DT80 CL with carriage I



[shown carriage with optional equipment]

DT80 CLI with carriage

The extended C version, mounted on carriage I, support arm extension and lockable swivel positions enable practical operation with solid equipment.

Extension 30cm, two notches and bolts, 90° swivel positions.

With **3 large shelves**
Carriage extendable

| Item No. | Type | Scope of delivery / Description |
|----------|----------|---|
| 4000-329 | DT80 CLI | 10x vacuum electrode 1m; 1x support arm CL; 1x vacuum unit DT80 with control unit and holder for control unit; 1x carriage I; 1x power cable; 250ml electrode spray |
| 4000-328 | DT80 CLI | 6x vacuum electrode 1m and 4x1.3m; 1x support arm CL; 1x vacuum unit DT80 with control unit and holder for control unit; 1x carriage I; 1x power cable; 250ml electrode spray |

DT80 CL with carriage H



[similar to figure]

DT80 CLH with carriage

The DT80 CL, an extended C version, is also available on carriage H

Extension 30cm, two notches and bolts, 90° swivel positions.

| Item No. | Type | Scope of delivery / Description |
|----------|----------|---|
| 4000-331 | DT80 CLH | 10x vacuum electrode 1m; 1x support arm CL; 1x vacuum unit DT80 with control unit and holder for control unit; 1x carriage H; 1x power cable; 250ml electrode spray |
| 4000-330 | DT80 CLH | 6x vacuum electrode 1m and 4x1.3m; 1x support arm CL; 1x vacuum unit DT80 with control unit and holder for control unit; 1x carriage H; 1x power cable; 250ml electrode spray |

DT100 T



[Illustration with special equipment, table is not included]

DT100 T ECG – vacuum system

Solid table model with clamping screw for clamping on tables etc.

The device has a telescopic, flexible support arm, a high-volume vacuum pump with blow feature and controlled vacuum technology.

Specifications

- Protection class I; MPG Class 1
- Supply voltage 115/230 V~ 50/60 Hz; 50 VA
- Vacuum range 60–260 mbar; four-level vacuum capacity adjustment; Pressure range and status indication
- Support arm with integrated defibrillation protection; pivoting range approx. 360°
- Silver- silver chloride electrodes; sucker material silicone; individually exchangeable from the outside
- **Clamping screw with fixing range 20 – 55 mm**
 - Optionally with accumulator battery
 - Accumulator capacity sufficient for 6 h

| Item No. | Type | Scope of delivery / Description |
|----------|---------|---|
| 4000-264 | DT100 T | 10x vacuum electrode 1m; 1x support arm T; 1x vacuum unit DT100; 1x control unit with holder; 1x clamping device ; 1x power cable; 250ml electrode spray |
| 4000-262 | DT100 T | 6x vacuum electrode 1m and 4x1,3m ; 1x support arm T; 1x vacuum unit DT100; 1x control unit with holder; 1x clamping device ; 1x power cable; 250ml electrode spray |

Models with accumulator battery:

| | | |
|----------|----------|---|
| 4000-265 | DT100A T | 10x vacuum electrode 1m; 1x support arm T; 1x vacuum unit DT100 with integrated accumulator battery ; 1x control unit with holder; 1x clamping device ; 1x power cable; 250ml electrode spray |
| 4000-263 | DT100A T | 6x vacuum electrode 1m and 4x1,3m ; 1x support arm T; 1x vacuum unit DT100 with integrated accumulator battery ; 1x control unit with holder; 1x clamping device ; 1x power cable; 250ml electrode spray |

The prices are VAT excluded. Subject to alterations. Our sales and delivery conditions are valid. This price list is valid from 2019-01-01 and replaces all previous price lists.

DT100 T



[Illustration with special equipment, table is not included]

DT100 T ECG – vacuum system

The device has a telescopic, flexible support arm, a high-volume vacuum pump with blow feature and controlled vacuum technology.

Specifications

- Protection class I; MPG Class 1
- Supply voltage 115/230 V~ 50/60 Hz; 50 VA
- Vacuum range 60–260 mbar; four-level vacuum capacity adjustment; Pressure range and status indication
- Support arm with integrated defibrillation protection; pivoting range approx. 360°
- Silver- silver chloride electrodes; sucker material silicone; individually exchangeable from the outside
- Optionally with accumulator battery
- Accumulator capacity sufficient for 6 h
- Without mounting kit

| Item No. | Type | Scope of delivery / Description |
|----------|---------|---|
| 4000-358 | DT100 T | 10x vacuum electrode 1m; 1x support arm T; 1x vacuum unit DT100; 1x control unit with holder; 1x power cable; 250ml electrode spray; without mounting kit |
| 4000-359 | DT100 T | 6x vacuum electrode 1m and 4x1,3m; 1x support arm T; 1x vacuum unit DT100; 1x control unit with holder; 1x power cable; 250ml electrode spray; without mounting kit |

Models with accumulator battery:

| | | |
|----------|----------|---|
| 4000-360 | DT100A T | 10x vacuum electrode 1m; 1x support arm T; 1x vacuum unit DT100 with integrated accumulator battery ; 1x control unit with holder; 1x power cable; 250ml electrode spray; without mounting kit |
| 4000-361 | DT100A T | 6x vacuum electrode 1m and 4x1,3m; 1x support arm T; 1x vacuum unit DT100 with integrated accumulator battery ; 1x control unit with holder; 1x power cable; 250ml electrode spray; without mounting kit |

The prices are VAT excluded. Subject to alterations. Our sales and delivery conditions are valid. This price list is valid from 2019-01-01 and replaces all previous price lists.

DT100 Tplus



DT100 Tplus

The telescopic support arm T for mobile practical use.

Stand-alone version, carriage with integrated vacuum unit DT100

Mobile operation

Base plate

Very solid design

Width 38 cm

Depth 40 cm

Four lockable caster wheels

| Item No. | Type | Scope of delivery / Description |
|----------|-------------|---|
| 4000-275 | DT100 Tplus | 10x vacuum electrode 1m; 1x support arm T; 1x vacuum unit DT100; 1x control unit with holder; 1x carriage plus; 1x power cable; 250ml electrode spray |
| 4000-273 | DT100 Tplus | 6x vacuum electrode 1m and 4x1,3m ; 1x support arm T; 1x vacuum unit DT100; 1x control unit with holder; 1x carriage plus; 1x power cable; 250ml electrode spray |

Models with accumulator battery:

| | | |
|----------|--------------|---|
| 4000-276 | DT100A Tplus | 10x vacuum electrode 1m; 1x support arm T; 1x vacuum unit DT100 with integrated accumulator battery ; 1x control unit with holder; 1x carriage plus; 1x power cable; 250ml electrode spray |
| 4000-274 | DT100A Tplus | 6x vacuum electrode 1m and 4x1,3m ; 1x support arm T; 1x vacuum unit DT100 with integrated accumulator battery ; 1x control unit with holder; 1x carriage plus; 1x power cable; 250ml electrode spray |

The prices are VAT excluded. Subject to alterations. Our sales and delivery conditions are valid.
This price list is valid from 2019-01-01 and replaces all previous price lists.

Strässle & Co. Medizintechnik GmbH Tel.: + 49 (0) 7432 22 01 86 Fax: + 49 (0) 7432 22 01 89 email: info@straessle-co.de
www.straessle-co.de ©Strässle & Co

DT100 T with carriage I



[shown carriage with optional equipment]

DT100 TI with carriage

The telescopic support arm version T with vacuum unit DT100 on carriage I.

The large shelf with a running edge provides a secure position for electro medical devices. Rounded edges avoid injuries.

The surfaces are easy to clean and resistant against disinfectants and detergents.

The push-and lift handle facilitates moving and lifting the carriage.

Large twin caster wheels \varnothing 100mm provide comfortable motion.

Front wheels lockable

Three shelves

| Item No. | Type | Scope of delivery / Description |
|----------|----------|---|
| 4000-269 | DT100 TI | 10x vacuum electrode 1m; 1x support arm T; 1x vacuum unit DT100; 1x control unit with holder; 1x carriage I; 1x power cable; 250ml electrode spray |
| 4000-271 | DT100 TI | 6x vacuum electrode 1m and 4x1,3m; 1x support arm T; 1x vacuum unit DT100; 1x control unit with holder; 1x carriage I; 1x power cable; 250ml electrode spray |

Models with accumulator battery:

| | | |
|----------|-----------|---|
| 4000-270 | DT100A TI | 10x vacuum electrode 1m; 1x support arm T; 1x vacuum unit DT100 with integrated accumulator battery ; 1x control unit with holder; 1x carriage I; 1x power cable; 250ml electrode spray |
| 4000-272 | DT100A TI | 6x vacuum electrode 1m and 4x1,3m; 1x support arm T; 1x vacuum unit DT100 with integrated accumulator battery ; 1x control unit with holder; 1x carriage I; 1x power cable; 250ml electrode spray |

DT100 T with carriage H



[similar to figure]

DT100 TH with carriage

DT100 with telescopic support arm version T on carriage H.

This combination is also suitable for use in hospitals.

Easily manoeuvrable and solid carriage for ECG device and vacuum unit.

Front wheels lockable.

4-fold socket board with circuit breaker.

| Item No. | Type | Scope of delivery / Description |
|----------|----------|---|
| 4000-283 | DT100 TH | 10x vacuum electrode 1m; 1x support arm T; 1x vacuum unit DT100; 1x control unit with holder; 1x carriage H; 1x power cable; 250ml electrode spray |
| 4000-285 | DT100 TH | 6x vacuum electrode 1m and 4x1.3m; 1x support arm T; 1x vacuum unit DT100; 1x control unit with holder; 1x carriage H; 1x power cable; 250ml electrode spray |

Models with accumulator battery:

| | | |
|----------|-----------|---|
| 4000-284 | DT100A TH | 10x vacuum electrode 1m; 1x support arm T; 1x vacuum unit DT100 with integrated accumulator battery ; 1x control unit with holder; 1x carriage H; 1x power cable; 250ml electrode spray |
| 4000-286 | DT100A TH | 6x vacuum electrode 1m and 4x1.3m; 1x support arm T; 1x vacuum unit DT100 with integrated accumulator battery ; 1x control unit with holder; 1x carriage H; 1x power cable; 250ml electrode spray |

The prices are VAT excluded. Subject to alterations. Our sales and delivery conditions are valid.
This price list is valid from 2019-01-01 and replaces all previous price lists.

Strässle & Co. Medizintechnik GmbH

Tel.: + 49 (0) 7432 22 01 86

Fax: + 49 (0) 7432 22 01 89

email: info@straessle-co.de

www.straessle-co.de

©Strässle & Co



DT100 ECG – vacuum system

Solid table model with clamping screw for clamping on tables etc.

The device has a long-reach, flexible support arm, a high-volume vacuum pump with blow feature and controlled vacuum technology.

Battery version available

Specifications:

- Protection class I; MPG Class 1
- Supply voltage 115/230 V~ 50/60 Hz; 50 VA
- Vacuum range 60–260 mbar; four-level vacuum capacity adjustment; Pressure range and status indication
- Support arm with integrated defibrillation protection; pivoting range approx. 315° 120/240 cm
- Silver-silver chloride electrodes; sucker material silicone; individually exchangeable from the outside
- **Clamping screw with fixing range 20 – 55 mm**
Optionally with accumulator battery
- Accumulator capacity sufficient for 6 h

| Item No. | Type | Scope of delivery / Description |
|----------|-------|---|
| 4000-164 | DT100 | 10x vacuum electrode 1m; 1x support arm; 1x vacuum unit DT100; 1x control unit with holder; 1x clamping device ; 1x power cable; 250ml electrode spray |
| 4000-162 | DT100 | 6x vacuum electrode 1m and 4x1,3m ; 1x support arm; 1x vacuum unit DT100; 1x control unit with holder; 1x clamping device ; 1x power cable; 250ml electrode spray |

Models with accumulator battery:

| | | |
|----------|--------|---|
| 4000-165 | DT100A | 10x vacuum electrode 1m; 1x support arm; 1x vacuum unit DT100 with integrated accumulator battery ; 1x control unit with holder; 1x clamping device ; 1x power cable; 250ml electrode spray |
| 4000-163 | DT100A | 6x vacuum electrode 1m and 4x1,3m ; 1x support arm; 1x vacuum unit DT100 with integrated accumulator battery ; 1x control unit with holder; 1x clamping device ; 1x power cable; 250ml electrode spray |

The prices are VAT excluded. Subject to alterations. Our sales and delivery conditions are valid. This price list is valid from 2019-01-01 and replaces all previous price lists.

DT100



[Illustration with special equipment, table is not included]

DT100 ECG – vacuum system

The device has a long-reach, flexible support arm, a high-volume vacuum pump with blow feature and controlled vacuum technology.

Battery version available

Specifications:

- Protection class I; MPG Class 1
- Supply voltage 115/230 V~ 50/60 Hz; 50 VA
- Vacuum range 60–260 mbar; four-level vacuum capacity adjustment; Pressure range and status indication
- Support arm with integrated defibrillation protection; pivoting range approx. 315° 120/240 cm
- Silver-silver chloride electrodes; sucker material silicone; individually exchangeable from the outside
- Optionally with accumulator battery
- Accumulator capacity sufficient for 6 h
- Without mounting kit

| Item No. | Type | Scope of delivery / Description |
|----------|-------|--|
| 4000-364 | DT100 | 10x vacuum electrode 1m; 1x support arm; 1x vacuum unit DT100; 1x control unit with holder; 1x power cable; 250ml electrode spray; without mounting kit |
| 4000-362 | DT100 | 6x vacuum electrode 1m and 4x1,3m; 1x support arm; 1x vacuum unit DT100; 1x control unit with holder; 1x power cable; 250ml electrode spray; without mounting kit |

Models with accumulator battery:

| | | |
|----------|--------|--|
| 4000-365 | DT100A | 10x vacuum electrode 1m; 1x support arm; 1x vacuum unit DT100 with integrated accumulator battery ; 1x control unit with holder; 1x power cable; 250ml electrode spray; without mounting kit |
| 4000-363 | DT100A | 6x vacuum electrode 1m and 4x1,3m; 1x support arm; 1x vacuum unit DT100 with integrated accumulator battery ; 1x control unit with holder; 1x power cable; 250ml electrode spray; without mounting kit |

The prices are VAT excluded. Subject to alterations. Our sales and delivery conditions are valid.
This price list is valid from 2019-01-01 and replaces all previous price lists.

DT100 plus



DT100 plus

The mobile solution for practical use.

Stand-alone version, carriage with integrated vacuum unit DT100

Mobile operation

Base plate

Very solid design

Width 38 cm

Depth 40 cm

Four lockable caster wheels

| Item No. | Type | Scope of delivery / Description |
|----------|------------|--|
| 4000-175 | DT100 plus | 10x vacuum electrode 1m; 1x support arm; 1x vacuum unit DT100; 1x control unit with holder; 1x carriage plus; 1x power cable; 250ml electrode spray |
| 4000-173 | DT100 plus | 6x vacuum electrode 1m and 4x1,3m; 1x support arm; 1x vacuum unit DT100; 1x control unit with holder; 1x carriage plus; 1x power cable; 250ml electrode spray |

Models with accumulator battery:

| | | |
|----------|-------------|---|
| 4000-176 | DT100A plus | 10x vacuum electrode 1m; 1x support arm; 1x vacuum unit DT100 with integrated accumulator battery; 1x control unit with holder; 1x carriage plus; 1x power cable; 250ml electrode spray |
| 4000-174 | DT100A plus | 6x vacuum electrode 1m and 4x1,3m; 1x support arm; 1x vacuum unit DT100 with integrated accumulator battery; 1x control unit with holder; 1x carriage plus; 1x power cable; 250ml electrode spray |

DT100 with carriage I



[shown carriage with optional equipment]

DT100 I with carriage

The large shelf with a running edge provides a secure position for electro medical devices. Rounded edges avoid injuries.

The surfaces are easy to clean and resistant against disinfectants and detergents.

The push-and lift handle facilitates moving and lifting the carriage.

Large twin caster wheels Ø 100mm provide comfortable motion.

Front wheels lockable

Three shelves

| Item No. | Type | Scope of delivery / Description |
|----------|---------|--|
| 4000-169 | DT100 I | 10x vacuum electrode 1m; 1x support arm; 1x vacuum unit DT100; 1x control unit with holder; 1x carriage I; 1x power cable; 250ml electrode spray |
| 4000-171 | DT100 I | 6x vacuum electrode 1m and 4x1,3m ; 1x support arm; 1x vacuum unit DT100; 1x control unit with holder; 1x carriage I; 1x power cable; 250ml electrode spray |

Models with accumulator battery:

| | | |
|----------|----------|--|
| 4000-170 | DT100A I | 10x vacuum electrode 1m; 1x support arm; 1x vacuum unit DT100 with integrated accumulator battery ; 1x control unit with holder; 1x carriage I; 1x power cable; 250ml electrode spray |
| 4000-172 | DT100A I | 6x vacuum electrode 1m and 4x1,3m ; 1x support arm; 1x vacuum unit DT100 with integrated accumulator battery ; 1x control unit with holder; 1x carriage I; 1x power cable; 250ml electrode spray |

The prices are VAT excluded. Subject to alterations. Our sales and delivery conditions are valid. This price list is valid from 2019-01-01 and replaces all previous price lists.

Strässle & Co. Medizintechnik GmbH Tel.: + 49 (0) 7432 22 01 86 Fax: + 49 (0) 7432 22 01 89 email: info@straessle-co.de
www.straessle-co.de ©Strässle & Co

DT100 with carriage H



[similar to figure]

DT100 H with carriage

ECG vacuum unit with carriage H

This combination is also suitable for use in hospitals.

Easily manoeuvrable and solid carriage for ECG device and vacuum unit.

Front wheels lockable

4-fold socket board with circuit breaker.

| Item No. | Type | Scope of delivery / Description |
|----------|---------|---|
| 4000-183 | DT100 H | 10x vacuum electrode 1m; 1x support arm; 1x vacuum unit DT100; 1x control unit with holder; 1x carriage H; 1x power cable; 250ml electrode spray |
| 4000-185 | DT100 H | 6x vacuum electrode 1m and 4x1,3m ; 1x support arm; 1x vacuum unit DT100; 1x control unit with holder; 1x carriage H; 1x power cable; 250ml electrode spray |

Models with accumulator battery:

| | | |
|----------|----------|---|
| 4000-184 | DT100A H | 10x vacuum electrode 1m; 1x support arm; 1x vacuum unit DT100 with integrated accumulator battery ; 1x control unit with holder; 1x carriage H; 1x power cable; 250ml electrode spray |
| 4000-186 | DT100A H | 6x vacuum electrode 1m and 4x1,3m ; 1x support arm; 1x vacuum unit DT100 with integrated accumulator battery ; 1x control unit with holder; 1x carriage H; 1x power cable; 250ml electrode spray |

DT100 C



[Illustration with special equipment, table is not included]

DT100 C ECG - vacuum system

The DT100 C is a table model ECG system. It was designed to meet the requirements of modern every-day operation in hospitals, where the operating conditions are often hard.

The support arm is made of steel and has a flexibly equilibrated joint, which is equipped with a locking button for every 90° of swivel.

All features are available in proven DT100 technology.

Blow feature, as well as four controlled pressure levels and a high-volume pump unit go without saying.

Clamping screw with fixing range 20 – 55 mm

| Item No. | Type | Scope of delivery / Description |
|----------|---------|---|
| 4000-201 | DT100 C | 10x vacuum electrode 1m; 1x support arm C; 1x vacuum unit DT100; 1x control unit with holder; 1x clamping device ; 1x power cable; 250ml electrode spray |
| 4000-202 | DT100 C | 6x vacuum electrode 1m and 4x1,3m ; 1x support arm C; 1x vacuum unit DT100; 1x control unit with holder; 1x clamping device ; 1x power cable; 250ml electrode spray |

Models with accumulator battery:

| | | |
|----------|----------|---|
| 4000-203 | DT100A C | 10x vacuum electrode 1m; 1x support arm C; 1x vacuum unit DT100 with integrated accumulator battery ; 1x control unit with holder; 1x clamping device ; 1x power cable; 250ml electrode spray |
| 4000-204 | DT100A C | 6x vacuum electrode 1m and 4x1,3m ; 1x support arm C; 1x vacuum unit DT100 with integrated accumulator battery ; 1x control unit with holder; 1x clamping device ; 1x power cable; 250ml electrode spray |

The prices are VAT excluded. Subject to alterations. Our sales and delivery conditions are valid. This price list is valid from 2019-01-01 and replaces all previous price lists.

Strässle & Co. Medizintechnik GmbH Tel.: + 49 (0) 7432 22 01 86 Fax: + 49 (0) 7432 22 01 89 email: info@straessle-co.de
www.straessle-co.de ©Strässle & Co

DT100 C



[Illustration with special equipment, table is not included]

DT100 C ECG - vacuum system

The DT100 C was designed to meet the requirements of modern every-day operation in hospitals, where the operating conditions are often hard.

The support arm is made of steel and has a flexibly equilibrated joint, which is equipped with a locking button for every 90° of swivel.

All features are available in proven DT100 technology.

Blow feature, as well as four controlled pressure levels and a high-volume pump unit go without saying.

Without mounting kit

| Item No. | Type | Scope of delivery / Description |
|----------|---------|---|
| 4000-366 | DT100 C | 10x vacuum electrode 1m; 1x support arm C; 1x vacuum unit DT100; 1x control unit with holder; 1x power cable; 250ml electrode spray; without mounting kit |
| 4000-367 | DT100 C | 6x vacuum electrode 1m and 4x1,3m; 1x support arm C; 1x vacuum unit DT100; 1x control unit with holder; 1x power cable; 250ml electrode spray; without mounting kit |


Models with accumulator battery:

| | | |
|----------|----------|---|
| 4000-368 | DT100A C | 10x vacuum electrode 1m; 1x support arm C; 1x vacuum unit DT100 with integrated accumulator battery ; 1x control unit with holder; 1x power cable; 250ml electrode spray; without mounting kit |
| 4000-369 | DT100A C | 6x vacuum electrode 1m and 4x1,3m; 1x support arm C; 1x vacuum unit DT100 with integrated accumulator battery ; 1x control unit with holder; 1x power cable; 250ml electrode spray; without mounting kit |

The prices are VAT excluded. Subject to alterations. Our sales and delivery conditions are valid. This price list is valid from 2019-01-01 and replaces all previous price lists.

Strässle & Co. Medizintechnik GmbH Tel.: + 49 (0) 7432 22 01 86 Fax: + 49 (0) 7432 22 01 89 email: info@straessle-co.de
www.straessle-co.de ©Strässle & Co

DT100 Cplus



DT100 Cplus

Stand-alone model in solid steel design.

The support arm can be mounted centrally in four layouts.

The support arm itself is flexibly lockable in 90° swivel positions.

Equilibrating joint

Solid DT100 technology
Control unit can be operated with one hand.

Mobile operation

Base plate
Very solid design
Width 38 cm
Depth 40 cm
Four lockable caster wheels

| Item No. | Type | Scope of delivery / Description |
|----------|------------|---|
| 4000-207 | DT100Cplus | 10x vacuum electrode 1m; 1x support arm C; 1x vacuum unit DT100; 1x control unit with holder; 1x carriage plus; 1x power cable; 250ml electrode spray |
| 4000-205 | DT100Cplus | 6x vacuum electrode 1m and 4x1,3m ; 1x support arm C; 1x vacuum unit DT100; 1x control unit with holder; 1x carriage plus; 1x power cable; 250ml electrode spray |

Models with accumulator battery:

| | | |
|----------|--------------|---|
| 4000-208 | DT100A Cplus | 10x vacuum electrode 1m; 1x support arm C; 1x vacuum unit DT100 with integrated accumulator battery ; 1x control unit with holder; 1x carriage plus; 1x power cable; 250ml electrode spray |
| 4000-206 | DT100A Cplus | 6x vacuum electrode 1m and 4x1,3m ; 1x support arm C; 1x vacuum unit DT100 with integrated accumulator battery ; 1x control unit with holder; 1x carriage plus; 1x power cable; 250ml electrode spray |

The prices are VAT excluded. Subject to alterations. Our sales and delivery conditions are valid.
This price list is valid from 2019-01-01 and replaces all previous price lists.

Strässle & Co. Medizintechnik GmbH Tel.: + 49 (0) 7432 22 01 86 Fax: + 49 (0) 7432 22 01 89 email: info@straessle-co.de
www.straessle-co.de ©Strässle & Co

DT100 C with carriage I



[shown carriage with optional equipment]

DT100 CI with carriage

A combination of ECG vacuum unit DT100 C and carriage I

Three large shelves
Carriage extendable

Support arm in solid steel design, proven DT100 technology

| Item No. | Type | Scope of delivery / Description |
|----------|----------|--|
| 4000-213 | DT100 CI | 10x vacuum electrode 1m; 1x support arm C; 1x vacuum unit DT100; 1x control unit with holder; 1x carriage I; 1x power cable; 250ml electrode spray |
| 4000-215 | DT100 CI | 6x vacuum electrode 1m and 4x1,3m; 1x support arm C; 1x vacuum unit DT100; 1x control unit with holder; 1x carriage I; 1x power cable; 250ml electrode spray |

Models with accumulator battery:

| | | |
|----------|-----------|--|
| 4000-214 | DT100A CI | 10x vacuum electrode 1m; 1x support arm C; 1x vacuum unit DT100 with integrated accumulator battery ; 1x control unit with holder; 1x carriage I; 1x power cable; 250ml electrode spray |
| 4000-216 | DT100A CI | 6x vacuum electrode 1m and 4x1,3m; 1x support arm C; 1x vacuum unit DT100 with integrated accumulator battery ; 1x control unit with holder; 1x carriage I; 1x power cable; 250ml electrode spray |

DT100 C with carriage H



DT100 CH with carriage

DT100 in steel design on carriage H. Highly manoeuvrable and solid.

Combined carriage for ECG device and vacuum unit.

[similar to figure]

| Item No. | Type | Scope of delivery / Description |
|----------|----------|--|
| 4000-217 | DT100 CH | 10x vacuum electrode 1m; 1x support arm C; 1x vacuum unit DT100; 1x control unit with holder; 1x carriage H; 1x power cable; 250ml electrode spray |
| 4000-219 | DT100 CH | 6x vacuum electrode 1m and 4x1,3m; 1x support arm C; 1x vacuum unit DT100; 1x control unit with holder; 1x carriage H; 1x power cable; 250ml electrode spray |

Models with accumulator battery:

| | | |
|----------|-----------|--|
| 4000-218 | DT100A CH | 10x vacuum electrode 1m; 1x support arm C; 1x vacuum unit DT100 with integrated accumulator battery ; 1x control unit with holder; 1x carriage H; 1x power cable; 250ml electrode spray |
| 4000-220 | DT100A CH | 6x vacuum electrode 1m and 4x1,3m; 1x support arm C; 1x vacuum unit DT100 with integrated accumulator battery ; 1x control unit with holder; 1x carriage H; 1x power cable; 250ml electrode spray |

The prices are VAT excluded. Subject to alterations. Our sales and delivery conditions are valid.
This price list is valid from 2019-01-01 and replaces all previous price lists.

Strässle & Co. Medizintechnik GmbH Tel.: + 49 (0) 7432 22 01 86 Fax: + 49 (0) 7432 22 01 89 email: info@straessle-co.de
www.straessle-co.de ©Strässle & Co

DT100 CL



DT100 CL

The DT100 CL is a table model in steel arm design with extension.

The extension is 30 cm long and is equipped with two notches and bolts.

90° lockable swivel positions enable practical work with larger reach.

Clamping screw with fixing range 20 – 55 mm

[Illustration with special equipment, table is not included]

| Item No. | Type | Scope of delivery / Description |
|----------|----------|--|
| 4000-221 | DT100 CL | 10x vacuum electrode 1m; 1x support arm CL; 1x vacuum unit DT100; 1x control unit with holder; 1x clamping device ; 1x power cable; 250ml electrode spray |
| 4000-223 | DT100 CL | 6x vacuum electrode 1m and 4x1.3m ; 1x support arm CL; 1x vacuum unit DT100; 1x control unit with holder; 1x clamping device ; 1x power cable; 250ml electrode spray |

Models with accumulator battery:

| | | |
|----------|-----------|--|
| 4000-222 | DT100A CL | 10x vacuum electrode 1m; 1x support arm CL; 1x vacuum unit DT100 with integrated accumulator battery ; 1x control unit with holder; 1x clamping device ; 1x power cable; 250ml electrode spray |
| 4000-224 | DT100A CL | 6x vacuum electrode 1m and 4x1.3m ; 1x support arm CL; 1x vacuum unit DT100 with integrated accumulator battery ; 1x control unit with holder; 1x clamping device ; 1x power cable; 250ml electrode spray |

DT100 CL



DT100 CL

The DT100 CL is a model in steel arm design with extension.

The extension is 30 cm long and is equipped with two notches and bolts.

90° lockable swivel positions enable practical work with larger reach.

Without mounting kit

[Illustration with special equipment, table is not included]

| Item No. | Type | Scope of delivery / Description |
|----------|----------|---|
| 4000-370 | DT100 CL | 10x vacuum electrode 1m; 1x support arm CL; 1x vacuum unit DT100; 1x control unit with holder; 1x power cable; 250ml electrode spray; without mounting kit |
| 4000-371 | DT100 CL | 6x vacuum electrode 1m and 4x1.3m ; 1x support arm CL; 1x vacuum unit DT100; 1x control unit with holder; 1x power cable; 250ml electrode spray; without mounting kit |

Models with accumulator battery:

| | | |
|----------|-----------|---|
| 4000-372 | DT100A CL | 10x vacuum electrode 1m; 1x support arm CL; 1x vacuum unit DT100 with integrated accumulator battery ; 1x control unit with holder; 1x power cable; 250ml electrode spray; without mounting kit |
| 4000-373 | DT100A CL | 6x vacuum electrode 1m and 4x1.3m ; 1x support arm CL; 1x vacuum unit DT100 with integrated accumulator battery ; 1x control unit with holder; 1x power cable; 250ml electrode spray; without mounting kit |

The prices are VAT excluded. Subject to alterations. Our sales and delivery conditions are valid.
This price list is valid from 2019-01-01 and replaces all previous price lists.

Strässle & Co. Medizintechnik GmbH Tel.: + 49 (0) 7432 22 01 86 Fax: + 49 (0) 7432 22 01 89 email: info@straessle-co.de
www.straessle-co.de ©Strässle & Co

DT100 CLW



[Illustration with special equipment, table is not included]

DT100 CLW

Wall mounting version, mountable in locked position, as can be seen in the figure.

The flexible support arm is lockable in 90° swivel positions.

One-hand operation
DT100 technology

| Item No. | Type | Scope of delivery / Description |
|----------|-----------|--|
| 4000-233 | DT100 CLW | 10x vacuum electrode 1m; 1x support arm CLW with integrated wall mount; 1x vacuum unit DT100; 1x control unit with holder; 1x power cable; 250ml electrode spray |
| 4000-235 | DT100 CLW | 6x vacuum electrode 1m and 4x1,3m; 1x support arm CLW with integrated wall mount; 1x vacuum unit DT100; 1x control unit with holder; 1x power cable; 250ml electrode spray |

DT100 CL with carriage I



DT100 CLI with carriage

The extended C version, mounted on carriage I, support arm extension and lockable swivel positions enable practical operation with solid equipment.

Extension 30cm, two notches and bolts, 90° swivel positions.

Three large shelves
Carriage extendable

[shown carriage with optional equipment]

| Item No. | Type | Scope of delivery / Description |
|----------|-----------|--|
| 4000-225 | DT100 CLI | 10x vacuum electrode 1m; 1x support arm CL; 1x vacuum unit DT100; 1x control unit with holder; 1x carriage I; 1x power cable; 250ml electrode spray |
| 4000-227 | DT100 CLI | 6x vacuum electrode 1m and 4x1,3m; 1x support arm CL; 1x vacuum unit DT100; 1x control unit with holder; 1x carriage I; 1x power cable; 250ml electrode spray |

Models with accumulator battery:

| | | |
|----------|------------|---|
| 4000-226 | DT100A CLI | 10x vacuum electrode 1m; 1x support arm CL; 1x vacuum unit DT100 with integrated accumulator battery ; 1x control unit with holder; 1x carriage I; 1x power cable; 250ml electrode spray |
| 4000-228 | DT100A CLI | 6x vacuum electrode 1m and 4x1.3m ; 1x support arm CL; 1x vacuum unit DT100 with integrated accumulator battery ; 1x control unit with holder; 1x carriage I; 1x power cable; 250ml electrode spray |

The prices are VAT excluded. Subject to alterations. Our sales and delivery conditions are valid.
This price list is valid from 2019-01-01 and replaces all previous price lists.

Strässle & Co. Medizintechnik GmbH Tel.: + 49 (0) 7432 22 01 86 Fax: + 49 (0) 7432 22 01 89 email: info@straessle-co.de
www.straessle-co.de ©Strässle & Co

DT100 CL with carriage H



[similar to figure]

DT100 CLH with carriage

The DT100 CL, an extended C version, is also available on carriage H


Extension 30cm, two notches and bolts, 90° swivel positions.

| Item No. | Type | Scope of delivery / Description |
|----------|-----------|---|
| 4000-229 | DT100 CLH | 10x vacuum electrode 1m; 1x support arm CL; 1x vacuum unit DT100; 1x control unit with holder; 1x carriage H; 1x power cable; 250ml electrode spray |
| 4000-231 | DT100 CLH | 6x vacuum electrode 1m and 4x1.3m ; 1x support arm CL; 1x vacuum unit DT100; 1x control unit with holder; 1x carriage H; 1x power cable; 250ml electrode spray |

Models with accumulator battery:

| | | |
|----------|------------|---|
| 4000-230 | DT100A CLH | 10x vacuum electrode 1m; 1x support arm CL; 1x vacuum unit DT100 with integrated accumulator battery ; 1x control unit with holder; 1x carriage H; 1x power cable; 250ml electrode spray |
| 4000-232 | DT100A CLH | 6x vacuum electrode 1m and 4x1.3m ; 1x support arm CL; 1x vacuum unit DT100 with integrated accumulator battery ; 1x control unit with holder; 1x carriage H; 1x power cable; 250ml electrode spray |

EASY II



EASY II

The EASY, for occasional use, consists of a distributor with integrated defibrillation protection, the electrode suction lines, the vacuum patient line, the vacuum unit and the control unit.

The vacuum patient line starts at the distributor and terminates with the end of the hose in the connecting piece at the rear of the vacuum housing.

The 15-pin connector establishes the connection to the ECG. The control unit with 4-level pressure adjustment and LED information also terminates in the rear of the vacuum housing.

The device has an automatic blowing feature before and after every use.

Specifications:

- Protection class I; MPG Class 1
- Supply voltage 230 V~ 50/60 Hz; 22 VA
- Vacuum range 60-200 mbar; 4-level vacuum capacity adjustment; pressure range and status indication
- Patient cable with integrated defibrillation protection;
- Silver-silver chloride electrodes; sucker material silicone; individually exchangeable from the outside

| Item No. | Type | Scope of delivery / Description |
|----------|---------|--|
| 4000-405 | EASY II | 10x vacuum electrode 1m; 1x vacuum unit EASY with control unit and holder for control unit; 1x patient cable with distributor; 1x power cable; 250ml electrode spray |
| 4000-406 | EASY II | 6x vacuum electrode 1m and 4x1.3m; ; 1x vacuum unit EASY with control unit and holder for control unit; 1x patient cable with distributor; 1x power cable; 250ml electrode spray |
| 4000-407 | EASY II | 10x vacuum electrode 1.3m; 1x vacuum unit EASY with control unit and holder for control unit; 1x patient cable with distributor; 1x power cable; 250ml electrode spray |

The prices are VAT excluded. Subject to alterations. Our sales and delivery conditions are valid.

This price list is valid from 2019-01-01 and replaces all previous price lists.

Strässle & Co. Medizintechnik GmbH

Tel.: + 49 (0) 7432 22 01 86

Fax: + 49 (0) 7432 22 01 89

email: info@straessle-co.de

www.straessle-co.de

©Strässle & Co

DT Basic and DT Basic T

Application with self-adhesive electrodes



[Illustration with special equipment, table is not included]

DT Basic

Our basic product for specific use with self-adhesive electrodes. The compact version for practical use, especially in confined space situations.

The hinge moving vertically within a radius of 150 degrees, and with a cushioned horizontal pivoting radius of 360 degrees.

| Item No. | Type | Scope of delivery / Description |
|----------|----------|--|
| 4000-091 | DT Basic | 1x support arm Basic; 1x patient line cable with distributor Basic; 1x electrode lead set DT Basic 6/4; 1x clamping device |



[Illustration with special equipment, table is not included]

DT Basic T

Our basic product for specific use with self-adhesive electrodes. Its functionality and design reflect the current demands on an intelligent support arm.

The innovative design and material results in an efficient and space-saving support arm system.

The telescopic arm is stepless extendable from 84cm to 132cm.

The hinge moving vertically within a radius of 150 degrees, and with a cushioned horizontal pivoting radius of 360 degrees.

| Item No. | Type | Scope of delivery / Description |
|----------|------------|--|
| 4000-090 | DT Basic T | 1x support arm Basic T; 1x patient line cable with distributor Basic T; 1x electrode lead set DT Basic 6/4; 1x clamping device |

The prices are VAT excluded. Subject to alterations. Our sales and delivery conditions are valid. This price list is valid from 2019-01-01 and replaces all previous price lists.

Strässle & Co. Medizintechnik GmbH Tel.: + 49 (0) 7432 22 01 86 Fax: + 49 (0) 7432 22 01 89 email: info@straessle-co.de
www.straessle-co.de ©Strässle & Co

carriage I

- Figure see reverse -



[shown carriage with optional equipment]

Carriage Basic equipment:

- three shelves
- four twin caster wheels Ø 10cm, two of them lockable

Carriage Special equipment:

- Drawer
- Socket board fixing with reeling device
- Socket board

Specifications:

| | |
|----------------------|------------|
| Height top plate: | 82 cm |
| Height first shelf: | 59,5 cm |
| Height second shelf: | 37,5 cm |
| Height base plate: | 14,5 cm |
| Plate size: | |
| Length x Width | 49 x 50 cm |
| Weight: | |
| max. load | 150 kg |
| max. load per shelf | 50 kg |

| Item No. | Scope of delivery / Description |
|----------|--|
| 4000-180 | Carriage I Rack with 4 twin caster wheels Ø 100mm, 2 of them lockable, 3 shelves, sliding handle. |

Extras

| | |
|----------|--|
| 1000-257 | Socket board 6-fold with circuit-breaker |
| 1000-258 | Fixing for socket board with reeling device |
| 1000-259 | Drawer |
| 1000-260 | Additional shelf |

The prices are VAT excluded. Subject to alterations. Our sales and delivery conditions are valid.
This price list is valid from 2019-01-01 and replaces all previous price lists.

carriage H

Carriage H

Table height 91 cm
 Table area 47x34 cm
 Base plate and table plate in plastic material.

4 turnable twin caster wheels.
 Front wheels lockable.

Maximum load of each shelf 15 kg.

The carriage is equipped with a 4-fold socket board with circuit breaker.

- front view -



- rear view -



[similar to figure]

4 turnable twin caster wheels



| Item No. | Scope of delivery / Description |
|----------|---|
| 4000-179 | Carriage H Rack with 4 turnable twin caster wheels, 2 of them lockable, 2 shelves, sliding handle, power cable |

Extras

| | |
|----------|------------------|
| 1000-514 | Drawer |
| 1000-515 | Additional shelf |

Carriage Plus



[shown carriage with optional equipment]

Carriage Plus

For mobile operation

Base plate in very solid design
 Width 38 cm, Depth 40 cm
 Four lockable caster wheels

For DT80 and DT100
 For support arm versions A, C and T


| Item No. | Type | Scope of delivery / Description |
|----------|---------------------------------|--|
| 3000-125 | Carriage Plus DT100/DT80 | 1x Carriage Plus; 1x sleeve; 1x tongue element; 1x groove pin; 1x allen screw |
| 3000-456 | Carriage Plus DT100/DT80 C&T | 1x Carriage Plus -C&T; 2 x allen screw |

The prices are VAT excluded. Subject to alterations. Our sales and delivery conditions are valid.
 This price list is valid from 2019-01-01 and replaces all previous price lists.

Mounting kits

Mounting kit 1

| | |
|----------------------------|--------|
| Distance between corners 1 | 92 mm |
| Distance between corners 2 | 100 mm |
| Distance between corners 3 | 50 mm |
| Drilling hole diameter | 5,5 mm |




Example for use

| Item No. | Type | Scope of delivery/Description | |
|----------|--------------------------------------|--|--|
| 4000-023 | Mounting kit 1 DT100/DT80 | 1x fixing element; 1x sleeve; 1x tongue element; 1x groove pin; 1x allen screw | |
| 3000-463 | Mounting kit 1 DT100 C&T/DT80 C&T | 1x fixing element; 2 x allen screw | |

Mounting kit 2

| | |
|----------------------------|--------|
| Distance between corners 1 | 92 mm |
| Distance between corners 2 | 100 mm |
| Distance between corners 3 | 50 mm |
| Drilling hole diameter | 5,5 mm |




Example for use

| Item No. | Type | Scope of delivery/Description | |
|----------|--------------------------------------|--|--|
| 4000-024 | Mounting kit 2 DT100/DT80 | 1x fixing element; 1x sleeve; 1x tongue element; 1x groove pin; 1x allen screw | |
| 3000-464 | Mounting kit 2 DT100 C&T/DT80 C&T | 1x fixing element; 2 x allen screw | |

Mounting kit 3

| | |
|----------------------------|--------|
| Distance between corners 1 | 50 mm |
| Distance between corners 2 | 92 mm |
| Distance between corners 3 | 100 mm |
| Drilling hole diameter | 5,5 mm |



Example for use

| Item No. | Type | Scope of delivery/Description | |
|----------|----------------------------------|--|--|
| 4000-015 | Mounting kit 3 DT100/DT80 | 1x fixing element; 1x sleeve; 1x tongue element; 1x groove pin; 1x allen screw | |
| 3000-465 | Mounting kit 3 DT100 C/DT80 C | 1x fixing element; 2 x allen screw | |


Mounting kit 4

Fixing element with square nut M6, 10x10x5
For vertical T-groove profiles, vertical insertion

front view



rear view



| Item No. | Type | Scope of delivery/Description | |
|----------|--------------------------------------|---|--|
| 4000-029 | Mounting kit 4 DT100/DT80 | 1x fixing element; 1x sleeve; 1x tongue element; 1x groove pin; 1x allen screw; fixing material | |
| 3000-466 | Mounting kit 4 DT100 C&T/DT80 C&T | 1x fixing element; 2 x allen screw; fixing material | |

Mounting kit 5

Fixing element for vertical T-groove profiles
Vertical insertion

Square nut M8, 13x13x 4

front view

rear view




| Item No. | Type | Scope of delivery/Description | |
|----------|--------------------------------------|---|--|
| 4000-020 | Mounting kit 5 DT100/DT80 | 1x fixing element; 1x sleeve; 1x tongue element; 1x groove pin; 1x allen screw; fixing material | |
| 3000-467 | Mounting kit 5 DT100 C&T/DT80 C&T | 1x fixing element; 2 x allen screw; fixing material | |

Mounting kit 6

Solid lateral fixation on vertical square profiles
right- or left-handed use
flange 92mm x 57mm

Drilling holes for M6 countersunk screws



| Item No. | Type | Scope of delivery/Description | |
|----------|--------------------------------------|--|--|
| 4000-035 | Mounting kit 6 DT100/DT80 | 1x fixing element; 1x sleeve; 1x tongue element; 1x groove pin; 1x allen screw | |
| 3000-468 | Mounting kit 6 DT100 C&T/DT80 C&T | 1x fixing element; 2 x allen screw | |

Mounting kit 7

Fixation on horizontal square bar
24mm x 24mm




| Item No. | Type | Scope of delivery/Description | |
|----------|------------------------------------|--|--|
| 3000-151 | Mounting kit 7 DT100/DT80 | 1x fixing element; 1x sleeve; 1x tongue element; 1x groove pin; 1x allen screw | |
| 3000-469 | Mounting kit 7-T DT100 T/DT80 T | 1x fixing element; 2x allen screw | |

Mounting kit 8

Fixation for 10mm profiled bars

Screw spacing 1 70mm
Screw spacing 2 64mm
Allen screw M6x12





Example for use

| Item No. | Type | Scope of delivery/Description | |
|----------|---|---|--|
| 4000-022 | Mounting kit DT100/DT80 for Cardiomobil | 1x fixing element; 1x sleeve; 1x tongue element; 1x groove pin; 1x allen screw; fixing material | |
| 3000-460 | Mounting kit DT100 C&T/DT80 C&T for Cardiomobil | 1x fixing element; 2 x allen screw; fixing material | |

Mounting kit 9

Fixing element with counter plate and tap

Screw spacing 1 70mm
 Screw spacing 2 64mm
 Allen screw M6x12



Example for use
-rear side-

| Item No. | Type | Scope of delivery/Description | |
|----------|---|---|--|
| 4000-018 | Mounting kit DT100/DT80 for Vacucar | 1x fixing element; 1 x counter plate; 1x sleeve; 1x tongue element; 1x groove pin; 1x allen screw; fixing material | |
| 3000-461 | Mounting kit DT100 C&T/DT80 C&T for Vacucar | 1x fixing element; 1 x counter plate; 2 x allen screw | |

Mounting kit 10



mounting sheet



pump holder set



bracket

| Item No. | Type | Scope of delivery/Description | |
|----------|--|---|--|
| 4000-016 | Mounting kit for CS200 I DT100/DT80 | 1x fixing element; 1x sleeve; 1x tongue element; 1x groove pin; 1x allen screw; 1x mounting sheet; 1x pump holder set with fixing material | |
| 3000-458 | Mounting kit for CS200I DT100 T/DT80 T | 1x fixing element; 2x allen screw; 1x mounting sheet; 1x pump holder set with fixing material | |

Mounting kit 12



mounting box for pump



mounting kit for support arm

| Item No. | Type | Scope of delivery/Description | |
|----------|--|---|--|
| 4000-036 | Mounting kit DT100 for CS200 II (Excellence) | 1x mounting tube with fixing material; 1x sleeve; 1x tongue element; 1x groove pin; 1x allen screw; 1x mounting box | |
| 3000-471 | Mounting kit DT100 C&T for CS200 II (Excellence) | 1x mounting tube with fixing material; 2x allen screw; 1x mounting box | |

Mounting kit 13



mounting sheet



pump holder set




mounting kit for support arm

| Item No. | Type | Scope of delivery/Description | |
|----------|--|--|--|
| 4000-037 | Mounting kit DT100 for CS200 II (Facelift) | 1x mounting tube with fixing material; 1x sleeve; 1x tongue element; 1x groove pin; 1x allen screw; 1x mounting sheet; 1x pump holder set with fixing material | |
| 3000-472 | Mounting kit DT100 C&T for CS200 II (Facelift) | 1x mounting tube with fixing material; 1x allen screw; 1x mounting sheet; 1x pump holder set with fixing material | |

Mounting kit 14




bracket



Example for use

| Item No. | Type | Scope of delivery/Description | |
|----------|---------------------------------------|--|--|
| 4000-039 | Mounting kit 14 DT100/DT80 | 1x bracket; 1x angle; fixing material; 1x sleeve; 1x tongue element; 1x groove pin; 1x allen screw | |
| 3000-158 | Mounting kit 14 DT100 C&T/DT80 C&T | 1x bracket; 1x angle; fixing material; 2x allen screw | |

Mounting kit 15



mounting sheet for pump unit and arm,
pump holder, weight plates



Example for use

| Item No. | Type | Scope of delivery/Description | |
|----------|---------------------------------------|---|--|
| 4000-040 | Mounting kit 15 DT100/ DT80 | 1x mounting sheet for pump unit and support arm; 1x sleeve; 1x tongue element; 1x groove pin; 1x allen screw; 1x pump holder set; 2x weight plates; fixing material | |
| 3000-473 | Mounting kit 15 DT100 C&T/DT80 C&T | 1x mounting sheet for pump unit and support arm; 2x allen screw; 1x pump holder set; 2x weight plates; fixing material | |

Mounting kit 16

for standard rail 25mm x 10mm



| Item No. | Type | Scope of delivery/Description | |
|----------|---------------------------------------|--|--|
| 4000-041 | Mounting kit 16 DT100/ DT80 | 1x fixing element; 1x sleeve; 1x tongue element; 1x groove pin; 1x allen screw | |
| 3000-152 | Mounting kit 16 DT100 C&T/DT80 C&T | 1x fixing element; 2 x allen screw | |

Mounting kit 17

bracket 90° turned



| Item No. | Type | Scope of delivery/Description | |
|----------|---------------------------------------|--|--|
| 4000-034 | Mounting kit 17 DT100/ DT80 | 1x fixing element; 1x sleeve; 1x tongue element; 1x groove pin; 1x allen screw | |
| 3000-153 | Mounting kit 17 DT100 C&T/DT80 C&T | 1x fixing element; 2 x allen screw | |


Table clamp



| Item No. | Type | Scope of delivery/Description | |
|----------|-----------------------------------|--|--|
| 3000-157 | Table clamp DT100/ DT 80 | 1x fixing element; 1x sleeve; 1x tongue element; 1x groove pin; 1x allen screw | |
| 3000-457 | Table clamp DT100 C&T/DT80 C&T | 1x fixing element; 2 x allen screw | |


Wall mount for support arms

(dimensions b x h 160 mm x 320 mm)



| Item No. | Type | Scope of delivery/Description | |
|----------|------------------------------|---|--|
| 4000-014 | Wall mount DT100/DT80 | 1x wall mount; 1x sleeve; 1x tongue element; 1x groove pin; 1x allen screw; fixing material | |
| 3000-149 | Wall mount DT100 T/DT80 T | 1x wall mount 2x allen screw; fixing material | |


Wall mount for vacuum unit DT80



Example for use

| Item No. | Type | Scope of delivery/Description | |
|----------|------------------------------------|--|--|
| 3000-308 | Wall mount for vacuum unit DT80 | 1x base plate 2x pump holder bracket DT80 2x stop angle DT80 | |

Wall mount for vacuum unit DT100



Example for use

| Item No. | Type | Scope of delivery/Description | |
|----------|-------------------------------------|---|--|
| 3000-309 | Wall mount for vacuum unit DT100 | 1x base plate 2x pump holder bracket DT100 | |

The prices are VAT excluded. Subject to alterations. Our sales and delivery conditions are valid.
This price list is valid from 2019-01-01 and replaces all previous price lists.

Accessories

Set of electrode distance holder



| Item No. | Type | Scope of delivery/Description | |
|----------|----------------------------------|---|--|
| 1000-160 | Set of electrode distance holder | 2x for 2 cable distance-holder; 2x for 3 cable distance-holder | |

Suction line support for support arm A





Example for use

| Item No. | Type | Scope of delivery/Description | |
|----------|--------------------------------------|--|--|
| 3000-124 | Suction line support A DT100/DT80 | 1x suction line support, self-adhesive | |



| | | | |
|----------|--|--|--|
| 3000-146 | Fixing bracket for suction line support A | 1x fixing bracket with fixing material | |
|----------|--|--|--|

Suction line support for support arms A & C



Example for use

| Item No. | Type | Scope of delivery/Description | |
|----------|---|--|--|
| 3000-126 | Suction line support A&C DT100/DT100 C/DT80/DT80 C | 2x suction line support, self-adhesive | |

Suction line support for support arm C




Example for use




| Item No. | Type | Scope of delivery/Description | |
|----------|--|--|--|
| 3000-123 | Suction line support C DT100 C/DT80 C | 1x suction line support; 1x fixing bracket with fixing material | |

Suction line support for support arm T



Example for use



| Item No. | Type | Scope of delivery/Description | |
|----------|--|--|--|
| 3000-105 | Suction line support T DT100 T/DT80 T | 1x suction line support; 1x fixing bracket with fixing material | |

Weight for patient line cable T



Example for use




| Item No. | Type | Scope of delivery/Description | |
|----------|---|-------------------------------|--|
| 3000-106 | Weight for patient line cable T DT100 T/DT80 T | 1x weight; 5x O-ring | |

The prices are VAT excluded. Subject to alterations. Our sales and delivery conditions are valid.
This price list is valid from 2019-01-01 and replaces all previous price lists.

Strässle & Co. Medizintechnik GmbH Tel.: + 49 (0) 7432 22 01 86 Fax: + 49 (0) 7432 22 01 89 email: info@straessle-co.de
www.straessle-co.de ©Strässle & Co

Optional accessories for support arm T



bracket A and B screwable for support arm T



Example for use

| Best.-Nr. | Typ | Lieferumfang/Beschreibung | |
|-----------|--------------------------------------|--|--|
| 3000-068 | Brackets screwable for support arm T | 1x bracket A screwable 1x bracket B screwable | |

Fixing bracket set for metal clip



Example for use

| Best.-Nr. | Typ | Lieferumfang/Beschreibung | |
|-----------|-----------------------------------|--|--|
| 3000-069 | Fixing bracket set for metal clip | 1x fixing bracket with fixing material | |

Consumption and replacement material

For cleaning and disinfection of surfaces

Properties

- Ready-for-use alcoholic disinfectant for spraying or wiping
- Absolutely free aldehydes and alkylamines
- Extensive spectrum of activity: bactericide (incl. MSRA), tuberculocide and fungicide (incl. mould fungi)
- Effect in only 1min



1000-352



1000-354



1000-351



1000-327

| Item No. | Type | Scope of delivery/Description | |
|----------|--------------------|--------------------------------------|--|
| 1000-352 | Quick disinfectant | 100 Cleansing tissues with dispenser | |
| 1000-354 | Quick disinfectant | 250ml sprayer | |
| 1000-351 | Quick disinfectant | 5l container | |
| 1000-327 | Quick disinfectant | 750ml foam sprayer | |

Electrode spray

High conductivity, for excellent signal quality and long life of electrodes



1000-158



1000-159

| Item No. | Type | Scope of delivery/Description | |
|----------|-----------------|-----------------------------------|--|
| 1000-158 | Electrode spray | 250ml sprayer | |
| 1000-159 | Electrode spray | 3,8l container with spare sprayer | |

The prices are VAT excluded. Subject to alterations. Our sales and delivery conditions are valid.

This price list is valid from 2019-01-01 and replaces all previous price lists.

Strässle & Co. Medizintechnik GmbH

Tel.: + 49 (0) 7432 22 01 86

Fax: + 49 (0) 7432 22 01 89

email: info@straessle-co.de

www.straessle-co.de

©Strässle & Co

Suction lines



| Item No. | Type | Scope of delivery/Description |
|----------|----------------------|--|
| 4000-002 | Spare electrode 1m | 1x silver-silver chloride electrode 1m |
| 4000-004 | Spare electrode 1,3m | 1x silver-silver chloride electrode 1,3m |


Suction line sets

| | | |
|----------|-----------------------|--|
| 4000-001 | Electrode set 1m | 10x silver-silver chloride electrode 1m with code plates |
| 4000-003 | Electrode set 1,3m | 10x silver-silver chloride electrode 1,3m with code plates |
| 4000-005 | Electrode set 1m/1,3m | 6x silver-silver chloride electrode 1m with code plates (C1-C6) 4x silver-silver chloride electrode 1,3m with code plates (R,L,F,N) |

Code plates for suction lines



| Item No. | Type | Scope of delivery/Description |
|----------|----------------|-----------------------------------|
| 2000-159 | Code plate set | Ever 1x R,L,F,N,C1,C2,C3,C4,C5,C6 |



Example for use

| Best.-Nr. | Typ | Lieferumfang/Beschreibung |
|-----------|---|-----------------------------------|
| 2000-646 | Code plate set with code plates and identifier for electrodes | Ever 1x R,L,F,N,C1,C2,C3,C4,C5,C6 |

leads for self-adhesive electrodes



| Item No. | Type | | Scope of delivery/Description | |
|----------|----------------------|----|--|--|
| 4000-101 | Spare electrode 1m | C1 | 1x snap fastener-electrode 1m coded | |
| 4000-102 | Spare electrode 1m | C2 | 1x snap fastener-electrode 1m coded | |
| 4000-103 | Spare electrode 1m | C3 | 1x snap fastener-electrode 1m coded | |
| 4000-104 | Spare electrode 1m | C4 | 1x snap fastener-electrode 1m coded | |
| 4000-105 | Spare electrode 1m | C5 | 1x snap fastener-electrode 1m coded | |
| 4000-106 | Spare electrode 1m | C6 | 1x snap fastener-electrode 1m coded | |
| 4000-107 | Spare electrode 1,3m | F | 1x snap fastener- electrode 1,3m coded | |
| 4000-108 | Spare electrode 1,3m | N | 1x snap fastener- electrode 1,3m coded | |
| 4000-109 | Spare electrode 1,3m | L | 1x snap fastener- electrode 1,3m coded | |
| 4000-110 | Spare electrode 1,3m | R | 1x snap fastener-electrode 1,3m coded | |

Lead set for self-adhesive electrodes

| | | | | |
|----------|-----------------------|--|--|--|
| 4000-100 | Electrode set 1m/1,3m | | 6x snap fastener-electrode 1m with coding (C1-C6) 4x snap fastener-electrode 1,3m with coding (R,L,F,N) | |
|----------|-----------------------|--|--|--|

The prices are VAT excluded. Subject to alterations. Our sales and delivery conditions are valid.

This price list is valid from 2019-01-01 and replaces all previous price lists.

Strässle & Co. Medizintechnik GmbH

Tel.: + 49 (0) 7432 22 01 86

Fax: + 49 (0) 7432 22 01 89

email: info@straessle-co.de

www.straessle-co.de

©Strässle & Co

I. Allgemeine Geschäfts- und Lieferbedingungen für alle Vertragspartner**1. Preise**

Die vereinbarten Preise sind Nettopreise ab Albstadt, exklusive der jeweils gültigen Mehrwertsteuer, derzeit 19 % und exklusive Transport. Der Abzug von Skonto ist ausgeschlossen. Es gilt der jeweils gültige Listenpreis.

2. Zahlungsbedingungen

Rechnungen sind, soweit keine anderen Abmachungen getroffen werden, innerhalb 10 Tagen ab Rechnungsdatum ohne jeden Abzug (Skonto) zahlbar.

3. Verzug

Bei Zahlungsverzug werden unbeschadet weitergehender Rechte Verzugszinsen in Höhe von 10 % jährlich berechnet, es sei denn, der Kunde weist einen geringeren Verzugsschaden nach.

4. Rücktritt

Kommt der Käufer mit seiner Zahlungspflicht in Verzug, sind wir berechtigt, vom Kaufvertrag zurückzutreten oder Schadenersatz wegen Nichterfüllung zu verlangen sowie die Ware zurückzunehmen. Der Käufer ist zum Rücktritt vom Vertrag bei Nichteinhaltung einer verbindlich zugesagten Lieferfrist erst dann berechtigt, wenn er uns schriftlich eine Nachfrist von 2 Wochen mit Ablehnungsandrohung geschickt hat. Höhere Gewalt und sonstiges unverschuldetes Unvermögen berechtigen uns, außer zum Rücktritt vom Vertrag, zur Verlängerung der Lieferfrist um die Dauer der Störung. Überschreiten die sich daraus ergebenden Verzögerungen den Zeitraum von 6 Wochen, so ist auch der Käufer berechtigt, hinsichtlich des betroffenen Leistungsumfanges vom Vertrag zurückzutreten. Sonstige Ansprüche bestehen nicht.

5. Gewährleistung

Unsere Gewährleistungsverpflichtung beschränkt sich nach unserer Wahl auf Nachbesserung oder Ersatzlieferung. Im Rahmen der Gewährleistung ersetzte Teile gehen in unser Eigentum über. Bei Fehlschlägen der Nachbesserung oder Ersatzlieferung bleibt dem Käufer das Recht vorbehalten, Herabsetzung der Vergütung oder nach seiner Wahl Rückgängigmachung des Vertrages zu verlangen. Unsere Garantieleistungen setzen voraus, dass das System jederzeit vorschriftsmäßig (vgl. Bedienungsanleitung, auf dem Gerät angebrachte Hinweise, sonstige Begleitunterlagen) benutzt worden ist (Lagerung, Transport, Geräteanschluss). Auf Verschleißmittel, hierzu gehören insbesondere die Elektrodenleitungen mit Anbauteilen, besteht kein Garantieanspruch. Gewährleistungsansprüche für Sachmängel unserer Produkte verjähren innerhalb eines Jahres ab Übergabe; die Regelung gemäß Punkt I, 7 bleibt unberührt.

6. Haftung

Der Einsatz unserer Produkte und deren Verwendung zu einem bestimmten Zweck ist ausschließlich Sache des Käufers und erfolgt auf dessen eigene Verantwortung. In keinem Fall haften wir für Schäden, die sich direkt oder indirekt durch unsachgemäßen Gebrauch, Störungen oder Betriebsausfall ergeben. Ausgeschlossen ist insbesondere die Haftung für Folgeschäden, entgangenen Gewinn oder Ersatzansprüche Dritter, soweit dies nach den gesetzlichen Bestimmungen zulässig ist.

7. Schadensersatzansprüche

Schadensersatzansprüche des Kunden wegen Pflichtverletzung, unerlaubter Handlung oder aus sonstigen Gründen sind ausgeschlossen, soweit nicht Vorsatz, grobe Fahrlässigkeit, die Verletzung einer wesentlichen Vertragspflicht, die Übernahme eines Beschaffungsrisikos oder einer Garantie vorliegen oder wir nach den Bestimmungen des Produkthaftpflichtgesetzes zwingend haften. Unsere Haftung für Schäden aus der Verletzung des Lebens, des Körpers oder der Gesundheit richtet sich nach den gesetzlichen Bestimmungen. In allen Fällen ist unsere Ersatzpflicht beschränkt auf den typischerweise eintretenden vorhersehbaren Schaden.

8. Angebote

Nur bei Verträgen über Warenlieferungen mit Verbrauchern sind wir 4 Monate ab Vertragsschluss an die mit dem Kunden schriftlichen vereinbarten Preise gebunden. Ist vorgesehen, dass die Lieferungen 4 Monate nach Vertragsschluss noch nicht abgeschlossen sind, wird bei Änderung der damals maßgeblichen Verhältnisse die jeweils gültige Preisliste anwendbar, bei Preiserhöhungen nur dann, wenn sie im Verhältnis zu den Veränderungen angemessen sind.

9. Aufrechnung

Die Aufrechnung mit bestrittenen oder nicht rechtskräftig festgestellten Gegenforderungen ist ausgeschlossen.

10. Eigentumsvorbehalt

Bis zur Erfüllung aller Forderungen, die uns aus jedem Rechtsgrund gegen den Kunden jetzt oder künftig zustehen, behalten wir uns das Eigentum an allen gelieferten und eingebauten Teilen vor. Bei Zugriffen Dritter auf unter Eigentumsvorbehalt stehender Ware, insbesondere durch Pfändungen oder einen Gerichtsvollzieher, wird der Käufer auf unser Eigentum hinweisen und uns unverzüglich benachrichtigen, damit wir unsere Eigentumsrechte durchsetzen können. Soweit der Dritte nicht in der Lage ist, uns die in diesem Zusammenhang entstehenden gerichtlichen oder außergerichtlichen Kosten zu erstatten, haftet hierfür der Kunde.

II. Besondere zusätzliche Geschäftsbedingungen für Kaufleute im Rahmen ihres Handelsgewerbes, für juristische Personen des öffentlichen Rechts und öffentlich rechtliche Sondervermögen

1. Die Geschäftsbedingungen sind Bestandteil aller mit uns geschlossenen Verträge, auch in künftigen Geschäftsverbindungen. Abweichenden Bedingungen des Kunden/Lieferanten wird widersprochen.

2. Unsere Verkaufsangebote sind freibleibend. Zwischenverkauf bleibt vorbehalten.

3. Bestellungen von Kaufleuten sind für uns nur verbindlich, soweit wir sie bestätigen oder ihnen durch Übersendung der Ware nachkommen; mündliche Nebenabreden nur, wenn wir sie schriftlich bestätigen.

4. Abweichend von den Bedingungen für alle Käufer gelten die am Tag der vorgenommenen Lieferung bzw. Abnahme geltenden Preislisten.

5. Die Gefahr geht auf den Käufer über, sobald die Sendung an die den Transport ausführende Person übergeben worden ist oder zwecks Versendung das Lager des Verkäufers verlassen hat. Wird der Versand auf Wunsch des Käufers verzögert, geht die Gefahr mit der Meldung der Versandbereitschaft auf ihn über.

6. Eine Bezugnahme auf technische Normen stellt keine Zusicherung dar.

7. Altgeräte, zu deren Rücknahme wir gem. § 10 des Gesetzes über das Inverkehrbringen, die Rücknahme und die umweltverträgliche Entsorgung von Elektro- und Elektronikgeräten verpflichtet sind, sind vom Käufer kostenfrei an uns zurückzusenden.

8. Im Rahmen eines ordentlichen Geschäftsganges dürfen unter Eigentumsvorbehalt stehende Gegenstände verarbeitet oder mit anderen Sachen verbunden und vermischt werden. An den dadurch entstehenden neuen Sachen erwerben wir Miteigentum; der Anteil berechnet sich nach dem Lieferwert der von uns gelieferten Sache. Die in unserem Eigentum oder Miteigentum stehenden Sachen sind sicher und sachgemäß aufzubewahren und gegen Diebstahl, Feuer und sonstige Gefahren zu versichern. Über sie darf nur im Rahmen eines ordnungsgemäßen Geschäftsganges verfügt werden. Insbesondere dürfen sie nur dann veräußert werden, wenn, falls nicht bar bezahlt wird, das Eigentum auch den Abnehmern gegenüber vorbehalten wird und ihnen die in diesem Abschnitt enthaltenen Verpflichtungen schriftlich auferlegt werden. Alle Forderungen und Ansprüche gegen Dritte, die sich auf die in unserem Eigentum stehenden Sachen beziehen, sind sicherungshalber an uns abgetreten. An uns abgetretene Geldforderungen dürfen vom Kunden im Rahmen des ordnungsgemäßen Geschäftsganges im eigenen Namen, jedoch für unsere Rechnung, eingezogen werden. In anderer Weise darf über diese Forderungen nicht verfügt werden. Insbesondere dürfen sie nicht noch einmal abgetreten werden, auch nicht zum Zwecke des Forderungseinzugs im Wege des Factoring, es sei denn, es wird gleichzeitig die Verpflichtung des Factors begründet, die Gegenleistung in Höhe unseres Forderungsanteils solange unmittelbar an uns zu bewirken, als noch Forderungen unsererseits gegen den Auftraggeber bestehen. Bei vertragswidrigem Verhalten des Kunden, insbesondere bei Zahlungsverzug, sind wir berechtigt, die Herausgabe der in unserem Eigentum stehenden Sachen oder Abtretung der Herausgabeansprüche des Kunden gegen Dritte zu verlangen. Dasselbe gilt, wenn uns eine wesentliche Verschlechterung der Vermögensverhältnisse des Kunden bekannt wird und dadurch unsere Ansprüche gefährdet werden. In diesen Fällen können wir die Ermächtigung zur Veräußerung der gelieferten Sachen und zur Einziehung der an uns abgetretenen Geldforderungen widerrufen und die Forderungen selbst einziehen. Die Geltendmachung unseres Herausgabeanspruchs gemäß vorstehenden Bestimmungen und der Pfändung einer in unserem Eigentum stehenden Sache berührt die Durchführung des Vertrages nicht, insbesondere ist dies nicht als Rücktritt vom Vertrag anzusehen. Die für uns bestehenden Sicherheiten dienen der Sicherstellung aller Forderungen gegen den Kunden. Überschreitet ihr Wert unsere Forderung um mehr als 20 %, geben wir auf Verlangen einen entsprechenden Teil der Sicherheiten nach unserer Wahl frei. Zugriffe Dritter auf die uns gehörenden Waren und Forderungen sind uns vom Kunden unverzüglich mitzuteilen.

9. Für sämtliche Ansprüche aus der Geschäftsverbindung ist ausschließlicher Gerichtsstand der Sitz unseres Unternehmens.

10. Der Erfüllungsort ist der Sitz unseres Unternehmens. Dort sind auch sämtliche Fakturen zahl- und klagbar.

11. Es gilt ausschließlich deutsches Recht.

12. Bei Unwirksamkeit einzelner Vertragsklauseln wird die Wirksamkeit aller sonstigen Vereinbarungen nicht berührt. Anstelle der unwirksamen Klausel gilt eine dem Zweck wirtschaftlich möglichst nahestehende Regelung.

The prices are VAT excluded. Subject to alterations. Our sales and delivery conditions are valid.

This price list is valid from 2019-01-01 and replaces all previous price lists.

Strässle & Co. Medizintechnik GmbH Tel.: + 49 (0) 7432 22 01 86 Fax: + 49 (0) 7432 22 01 89 email: info@straessle-co.de
www.straessle-co.de ©Strässle & Co